



Lotus Paints

Plot No. 213, Vivekanand Industrial
Park, Ahmedabad - Indore highway,
Village - Kubadthal, Gujarat - 382430



+91 97225 35666



+91 99133 29832



lotuspaints0666@gmail.com



Experience the Ultimate Paint Solution with Lotus Paints

Reliable Coats from Lotus Paints deliver superior quality,
exceptional durability, and lasting impressions.



Trusted Coatings for Long-Lasting Protection & Finish



Why Choose Lotus Paints?

Lotus Paints is an ISO 9001:2015 certified paint manufacturer delivering reliable, high-performance coating solutions for commercial, and industrial applications. Our solvent-based finishes are designed to provide excellent durability, smooth finish, and long-term protection across wood, metal, and casting surfaces.

With a commitment to quality and consistency, Lotus Paints blends advanced formulations with industry expertise to meet diverse surface and performance requirements.

- ✓ ISO 9001:2015 Certified Manufacturing
- ✓ Consistent Quality & Reliable Performance
- ✓ Wide Range of Industrial & Decorative Coatings
- ✓ Smooth Finish with Long-Lasting Protection
- ✓ Trusted by Professionals Across Industries

Our Product Range

✓ Auto Paints

High-quality automotive coatings offering excellent gloss, color retention, and weather resistance. Ideal for vehicle refinishing and metal surfaces.

✓ Epoxy Paint

Heavy-duty anti-corrosive epoxy coatings provide excellent chemical resistance and strong adhesion, making them ideal for industrial floors, metal structures, and a wide range of protective applications.

✓ Primers

High-performance primers that enhance adhesion, improve topcoat finish, and protect surfaces from corrosion and moisture.

✓ Red oxide zinc chromate primer

Red Oxide Zinc Chromate Primer provides excellent corrosion protection and strong adhesion, making it ideal for steel structures, metal surfaces, and industrial applications.

✓ Hammer Tone Paint

Specially formulated direct-to-metal paint that combines primer and finish in one coat, offering excellent protection and ease of application.

✓ PU Paint

Premium polyurethane coatings deliver exceptional durability, superior scratch resistance, and a refined smooth finish, making them ideal for metal surfaces while providing enhanced long-term UV protection.

✓ Steepal Finish

A smooth, durable finish designed for metal and industrial surfaces, offering reliable protection and uniform appearance.

✓ High Gloss Synthetic Enamel

A premium enamel paint delivering a brilliant glossy finish, excellent durability, and resistance to wear. Ideal for wood, metal, and decorative applications.

✓ Ind Black

Deep, rich black coating with excellent coverage and long-lasting color strength, suitable for multiple surface applications.

✓ Thinner

High-quality thinner ensuring proper paint consistency, smooth application, and improved finish quality.



	Auto Paints	Epoxy Paint	Primers	Red oxide zinc chromate primer	Hammer Tone Paint	PU Paint	Steepal Finish	High Gloss Synthetic Enamel	Ind Black
1 Type	Single Component	Two Component	Single Component	Single Component	Single Component	Two Component	Single Component	Single Component	Single Component
2 Drying - SO -HD -Scratch Hardness	30 mins. 3 hrs. 24 hrs.	45 mins. 7 hrs. 24 hrs.	30 mins. 4 hours. 24 hours.	30 mins. 4 hours. 24 hours.	20 mins. 1 hours. 15 hours.	15 mins. 2 hrs. 24 hrs.	30 mins. 3 hrs. 24 hrs.	3 hours. 9 hours. 36 hours.	4 hours. 10 hours. 36 hours.
3 D.F.T. Dry Film thickness (single coat)	25-40	25-30	40-60	40-60	25-40	25-50	25-40	25-40	25-40
4 Anti Corrosion Properties	G	E	G	E	G	G	G	G	G
5 Water Resistance	G	G	G	G	G	E	G	G	P
6 Acid Resistance	E	E - (Poor in Organic Acid)	E	E	E	E	E	E	P
7 Alkali Resistance	G	E	G	G	G	G	G	G	G
8 Solvent Resistance	G	E	G	G	G	E	G	G	P
9 High temp. Resistance	120°C	150°C	120°C	120°C	120°C	120°C	120°C	150°C	120°C
10 Scratch Hardness	2000 g. cm ^{2.5}	4500 g. cm ^{2.5}	2000 g. cm ^{2.5}	2500 g. cm ^{2.5}	2000 g. cm ^{2.5}	4500 g. cm ^{2.5}	2000 g. cm ^{2.5}	2000 g. cm ^{2.5}	1500 g. cm ^{2.5}
11 Toughness	E	E	E	E	E	E	E	E	E
12 Flexibility	E	E	G	E	P	E	E	E	G
13 Adhesion	E	E	G	E	E	E	E	E	E
14 Colours Available	All Colors	All Colors	Limited	Limited	Limited	All Colors	Limited	All Colors	Black
15 Finish	Glossy to matt	Glossy to matt	Matt	Matt	Glossy	Glossy to matt	Glossy	Glossy to matt	Glossy

** Rubbing is required to get smooth glossy finish.

E - Excellent

G - Good

P - Poor



Industrial Coating Shades

Epoxy, Polyurethane, Auto & Synthetic Enamel



These shades are for indicative purpose only.

